





NOAAH TECH PROFILES

We are industry experts in uPVC profile systems, offering high-quality products that adhere to European standards. Our Indian-made uPVC products are known for being best-in-class and cater to a significant portion of the quality market.

Our mission is to passionately serve the quality-conscious market by offering a diverse range of products that seamlessly balance excellence and affordability. Through meticulous design optimization, we create products that epitomize quality, functionality, and aesthetics, all while driving efficiency to minimize costs. We are dedicated to delivering the right product, precisely when and where our customers need it, empowering them to make informed choices and experience unparalleled satisfaction. Our unwavering commitment to superior standards, innovation, and strategic partnerships enables us to not only meet but exceed the expectations of our discerning customers, reinforcing our position as a trusted provider of choice in the market.

Industry Experts: We have an extensive expertise as uPVC system provider.

Indian Make, European Standards: Our products are manufactured in India while adhering to European quality standards.

Quality Focus: We emphasize providing the best quality products.

Market Share: We serve a large portion of the quality market.

Unveil the Beauty of Every View



Wide Range

Gluven uPVC offers a diverse range of products to cater to various preferences and requirements. Whether customers are seeking traditional or modern designs, different sizes, or specific functionalities, our wide range ensures they find the perfect fit for their needs.

High-Quality Compound Formulation with Best Quality RMs

We take pride in using only the finest raw materials and employing an advanced compound formulation process. This commitment to quality ensures that Gluven uPVC products deliver exceptional performance and durability over the long term.

In-Built Gasket Systems

Experience superior insulation, noise reduction, and weather resistance with our innovative in-built gasket systems. These systems contribute to a more comfortable and energy-efficient environment indoors.

Shiny Finish

Elevate the visual appeal of your living spaces with our elegant shiny finish. The glossy surface not only adds a touch of sophistication but is also easy to clean and maintain, keeping your uPVC products looking pristine year after year.

100% Lead-Free

Your health and safety matter to us. Gluven uPVC is crafted without any lead content, ensuring that your well-being and the well-being of your loved ones are always a top priority.

Grill Option

Enhance the security and aesthetics of your space with our convenient grill option. Our uPVC products are designed to seamlessly accommodate grills, providing an extra layer of protection while maintaining the beauty of your windows and doors.

High Impact Resistance

Life is unpredictable, but your windows and doors don't have to be. Gluven uPVC boasts exceptional impact resistance, ensuring that your investment remains intact and functional even in the face of accidental impacts.

Multiple Laminate Options

Personalize your space to reflect your unique style and taste. With a variety of laminate options to choose from, you can match your Gluven uPVC products seamlessly with your interior or exterior design, creating a harmonious and inviting atmosphere.

Introducing our exquisite lineup of windows, where elegance seamlessly intertwines with innovation. Our collection offers an array of meticulously crafted window styles, catering to your every desire. From the timeless allure of our Casement Windows, opening outward with grace, to the contemporary sophistication of our Sliding Windows, effortlessly harmonizing indoor and outdoor spaces, a world of options awaits. Those with an eye for the extraordinary will be captivated by our enchanting Special Windows—each a masterpiece in its own right. And for unparalleled design versatility, our Combination Windows flawlessly blend diverse styles, forging a seamless fusion of both aesthetics and functionality. Embark on the journey of creating a breathtaking home with windows that not only enhance energy efficiency but also exude stylish allure



Sliding windows offer a sleek and modern solution for maximizing natural light and airflow. These windows glide horizontally along a track, making them effortless to operate and ideal for spaces with limited clearance. With a contemporary aesthetic and smooth functionality, sliding windows are a great addition to any home seeking a seamless connection between indoor and outdoor living.

2 Frack	2.5 Track	3 Track
55 Series	82 Series	98 Series
62 Series	88 Series	104 Series
	93 Series	112 Series



Casement windows are a timeless and elegant choice for your home. These windows are hinged on one side and open outward with a smooth crank mechanism, allowing for excellent ventilation and easy cleaning. Their classic design adds a touch of sophistication to any space, while the energy-efficient features help keep your home comfortable year-round.


- 55 series
- 62 series




These windows provide a flexible solution, enabling homeowners and builders to customize window openings to suit their unique requirements. They merge various window styles, such as casement with fixed windows or double-hung with picture windows, resulting in a single installation that enhances both adaptability and visual appeal. This diversity offers choices for ventilation, natural illumination, and outdoor scenery.

Sliding System


62 Series - Profiles




GNS - 620 - F01 2 Track Outer Frame




GNS - 620 - F02 2.5 Track Outer Frame




GNS - 620 - F03 3 Track Outer Frame




GNS - 621 - F04 Mono Rail Frame




GNS - 621 - S01 Window Sash




GNS - 621 - S02 Window Super Sash




GNS - 621 - S03 Door Sash




GNS - 621 - T01 T Mullion



GNS - 620 - L01 Interlock for Window Sash




GNS - 620 - L02 Interlock for Door Sash





GNS - 620 - A01 Inline Sash Adapter


Sliding System


62 Series - Assembly Drawings













Casement System


62 Series - Profiles & Assembly Drawings




GNC - 621 - F01 Window Outer Frame




GNC - 621 - F02 Door Outer Frame




GNC - 621 - S01 Outward Opening Window Sash / T Mullion




GNC - 621 - S02 Outward Opening Door Sash




GNC - 621 - S04 Inward Opening Door Sash




GNC - 621 - T01 T Mullion




GNC - 621 - T02 Z Mullion



GNC - 621 - T03 Fly Mullion







Glazing Options

	62 Casement	88 Sliding	35	62 Sliding
39.5 GNA - 181 - B01	4,5,6,8		33	
34.5 GNA - 181 - B02	8,10,12			Mesh
GNA - 181 - B03	18,20,22			
20 SNA - 181 - B04	24,26	4,5,6,8		8,10,12
GNA - 181 - 805	28,30	8,10,12		12,14
GNA - 181 - B06	32,34,36	14,16,18		18,20,22,24

Aluminium Systems



Auxiliary Systems



Most of the uPVC market is dominated by unorganised players who offer cheap, imported profiles of inferior quality. These players take advantage of customer unawareness about the required quality standards. Using low-quality uPVC profiles can lead to issues such as

- Brittleness
- Colour fading (resulting in yellowness)
- · Profile deformation

In the continuous efforts to improve customer awareness about quality, Gluven presents the following distinctive features to help customers make informed choices.

NOAAH TECH				
Manufactured in India	Mostly Chinese make			
	Heavier sections with excess content of Calcium			

World of Colours

Warranty







10

YEARS WARRANTY

On Regular Profiles for

·Cracking • Manufacturing Defect

15 Y

YEARS
WARRANTY
On Laminated Profiles

Quality Tested

Standard		Result
EN 12608		Pass 36
ISO 2813	> 20 GU	GU L
ISO 105	L > 93	95.87
		A 0.38 B 2.8 73
ASTM D2240	> 70 D	D
EN 479	< 2%	1.6%
EN 478		Pass
EN 477	< 10% Breakage	Pass
EN 180		
EN 179		
EN 306	> 70°C	86°C
EN 527	> 35 Mpa	32.3 Mpa
EN 12608		Pass
EN 12608		Pass
EN 12608		
	EN 12608 ISO 2813 ISO 105 ASTM D2240 EN 479 EN 478 EN 477 EN 180 EN 179 EN 306 EN 527 EN 12608 EN 12608	EN 12608 ISO 2813 > 20 GU ISO 105 L > 93 ASTM D2240 > 70 D EN 479 < 2% EN 478 EN 477 < 10% Breakage EN 180 EN 179 EN 306 > 70°C EN 527 > 35 Mpa EN 12608



Contact Us

Noaah Tech Private Limited.

Ground Floor, No 1/5, Near Rotary Electronics, Kodigehalli, Bangalore - 560091.

Email: noaahtechprofile@gmail.com Web: www.noaahtechprofile.com

Mob: xxxxxxxxxx